

GOVERNMENT OF TELANGANA
ABSTRACT

Public Servants – PR&RD Dept. – Allegation of irregularities in construction of work "Road connecting from Maddikal Gollavada to Elkeswaram of GP Maddikal in Jaipur Mandal" in Manchiryal Division of Adilabad District – Sri. M. Madhusudhan Rao, formerly I/c Executive Engineer, QC, Hyderabad now at Panchayat Raj Division, Nirmal - Disciplinary proceedings under Rule 20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 (Telangana Adaptation) order, 2016 – Article of charges – Issued.

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.I) DEPARTMENT

G.O.RT.No. 36

Dated: 12-01-2017

ORDER:

It is proposed to hold an enquiry against Sri. M. Madhusudhan Rao, formerly I/c Executive Engineer, QC, Hyderabad now at Panchayat Raj Division, Nirmal, in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 (Telangana Adaptation) order, 2016.

2. The substance of the imputations of misconduct or misbehavior in respect of which the enquiry is proposed to be held is set out in the enclosed statement of article of charges (Annexure-I). A list of documents by which and a list of witnesses by whom, the article of charges are proposed to be sustained are also enclosed (Annexure-II&III).

3. Sri. M. Madhusudhan Rao, formerly I/c Executive Engineer, QC, Hyderabad now at Panchayat Raj Division, Nirmal, is directed to submit within ten (10) days of the receipt of this order, a written statement of his defence.

4. Sri. M. Madhusudhan Rao, formerly I/c Executive Engineer, QC, Hyderabad now at Panchayat Raj Division, Nirmal, is informed that an enquiry will be held only in respect of article of those charges as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri. M. Madhusudhan Rao, formerly I/c Executive Engineer, QC, Hyderabad now at Panchayat Raj Division, Nirmal, is further informed that if he does not submit his written statement of defence on or before the Period specified in Para 3 above or otherwise fails or refuses to comply with the provisions of Rule 20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 (Telangana Adaptation) order, 2016 or the orders / directions issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex-parte.

6. Sri. M. Madhusudhan Rao, formerly I/c Executive Engineer, QC, Hyderabad now at Panchayat Raj Division, Nirmal, is invited to Rule 24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964 (Telangana Adaptation) order, 2016, under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings, it will be presumed that Sri. M. Madhusudhan Rao, formerly I/c Executive Engineer, QC, Hyderabad now at Panchayat Raj Division, Nirmal, is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule-24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964 (Telangana Adaptation) order, 2016.

7. The receipt of this G.O. shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

S.P.SINGH

CHIEF SECRETARY TO GOVERNMENT &
SPECIAL CHIEF SECRETARY TO GOVERNMENT(FAC)

To

Sri. M. Madhusudhan Rao, formerly I/c Executive Engineer, QC, Hyderabad

(P.T.O.)

now at Panchayat Raj Division, Nirmal through the Engineer-in-Chief,
Panchayat Raj, Hyderabad
The Engineer-in-Chief, Panchayat Raj, Hyderabad.
(in duplicate with a request to serve and return the dated acknowledgement copy)
Copy to:
The PR&RD (PR.I) Dept.
SF/SC

//FORWARDED ::BY ORDER//

SECTION OFFICER

ANNEXURE –I

(Annexure to G.O.Rt.No.36 , PR&RD (Vig.I) Dept., dt.12.01.2017)

STATEMENT OF ARTICLES OF CHARGE FRAMED AGAINST SRI. M. MADHUSUDHAN RAO, FORMERLY I/C EXECUTIVE ENGINEER, QC, HYDERABAD NOW AT PANCHAYAT RAJ DIVISION, NIRMAL

Charge I:

That the said Sri. M. Madhusudhan Rao, I/c Executive Engineer, while functioning as the Executive Engineer (PR), has violated the departmental procedures in the execution of the work "Road connecting from Maddikkal Gollawada to Elkeswaram of GP Maddikkal in Jaipur Mandal" of Adilabad Dist sanctioned under EGS. He is responsible for not executing CD works at the time of formation of road. But he has completed the road upto WBM standards without taking the CD works even though 900mm RCC NP3 pipes 30 RMT were procured in the month of April 2012 at the time of execution of earth work.

Basis:

The Chief Quality Control officer, MGNREGS, Telangana has conducted an enquiry and submitted his report dt. 22.01.2015 in the matter, It is observed that as per procedure the culverts are to be executed at the time of formation but failed to execute the same and completed the road work upto WBM standards. 900mm RCC NP3 pipes 30 RMT were procured in the month of April 2012 at the time of execution of earth work. Sri. M. Madhusudhan Rao, EE has violated the departmental procedures in vogue and not discharged the official duties properly.

Hence the charge.

Charge II:

That the said Sri. M. Madhusudhan Rao, I/c Executive Engineer has violated the departmental procedures in the execution of the work "Road connecting from Maddikkal Gollawada to Elkeswaram of GP Maddikkal in Jaipur mandal of Adilabad Dist sanctioned under EGS" for not transferring the pipes to PMGSY work at least for utilization in execution of culverts. The pipes procured under EGS work were idle at site up to Nov 2014. where as the expenditure of Rs. 1,69,476/- incurred on the pipes is worthless which made the Govt. money blocked for 21 months and calculated the bank interest @ 12% i.e Rs. 35,700/- should be recovered from the concerned.

Basis:

The Chief Quality Control officer, MGNREGS, Telangana has conducted an enquiry and submitted his report dt. 22.01.2015. it is observed from the records and field inspection the field staff failed in transferring the pipes to PMGSY work at least for utilization in execution of culverts duly raising transfer order from EGS to PMGSY. The expenditure incurred under EGS towards procurement of RCC pipes of Rs.1,69,476/- was useless. The pipes were to be returned to the supplier. The Govt. amount of Rs. 1,69,476/- was blocked for 21 months. Hence as per the bank interest @ 12% i.e Rs. 35,700/- should be recovered.

There by Sri. M. Madhusudhan Rao, EE, has violated the departmental procedures in vogue and grossly neglected his official duties.

Hence the charge.

S.P.SINGH
CHIEF SECRETARY TO GOVERNMENT &
SPECIAL CHIEF SECRETARY TO GOVERNMENT(FAC)

SECTION OFFICER

ANNEXURE –II

(Annexure to G.O.Rt.No.36, PR&RD (Vig.I) Dept., dt.12.01.2017)

LIST OF DOCUMENTS BY WHICH THE ARTICLES OF CHARGE FRAMED AGAINST SRI. M. MADHUSUDHAN RAO, FORMERLY I/C EXECUTIVE ENGINEER, QC, HYDERABAD NOW AT PANCHAYAT RAJ DIVISION, NIRMAL ARE PROPOSED TO BE SUSTAINED.

Lr.No.J3/138/EGS/CQCO/Adilabad/2014,dated 22.01.2015 of C.Q.C.O., MGNREGS, Hyderabad.

S.P.SINGH
CHIEF SECRETARY TO GOVERNMENT &
SPECIAL CHIEF SECRETARY TO GOVERNMENT(FAC)

SECTION OFFICER

ANNEXURE - III

(Annexure to G.O.Rt.No.36 , PR&RD (Vig.I) Dept., dt.12.01.2017)

LIST OF WITNESSES BY WHOM THE ARTICLE OF CHARGES FRAMED AGAINST AGAINST SRI. M. MADHUSUDHAN RAO, FORMERLY I/C EXECUTIVE ENGINEER, QC, HYDERABAD NOW AT PANCHAYAT RAJ DIVISION, NIRMAL ARE PROPOSED TO BE SUSTAINED.

–NIL–

S.P.SINGH
CHIEF SECRETARY TO GOVERNMENT &
SPECIAL CHIEF SECRETARY TO GOVERNMENT(FAC)

SECTION OFFICER